

MATERIAL SAFETY DATA SHEET

Company: Speedy Clean LLC
4550 Ziebart Place, Unit B
Las Vegas, NV 89103

Information: (702) 736-6500

Emergency: (800) 255-3924

SECTION I - PRODUCT IDENTIFICATION

PRODUCT NAME : RESCUE 911 ROOF PATCH (SILVER)

LATEST REVISION DATE : July, 2008

SECTION II – HAZARDOUS INGREDIENTS & OTHER COMPONENTS

<u>INGREDIENTS</u>	<u>CAS-NO:</u>	<u>SARA III</u>	<u>OSHA PEL(ppm)</u>	<u>ACGIH TLV(ppm)</u>	<u>Carcinogen **</u>
Hydrocarbon Propellant	68476-86-8	NO	800	800	d
Dichloromethane	75-09-2	YES	500	25	a,b,c
n-Tallowalkyl Trimethylene Diamines Ole.	61791-53-5	NO	N/E	N/E	d
Petroleum Asphalt	N/E	NO	N/E	N/E	d

** Carcinogen [a] NTP [b] IARC Monograph [c] OSHA [d] Not Listed [e] Animal Data Only

THIS PRODUCT MAY CONTAIN ONE OR MORE MATERIALS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNITY RIGHT TO KNOW ACTS OF 1968 AND OF 40 CFR 372. SEE SECTION X FOR SPECIFIC MATERIALS.

SECTION III - PHYSICAL DATA

APPEARANCE / ODOR : Silver Asphalt

BOILING POINT : N/A

SPECIFIC GRAVITY (Water=1) : approx 1.0773

VAPOR PRESSURE : not applicable

SOLUBILITY IN WATER : not soluble

MELTING POINT: not applicable

VAPOR DENSITY (Air=1) : not applicable

EVAPORATION RATE (Ethyl Ether=1) : < 1

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLAMMABILITY CLASSIFICATION : Level 2

FLAMMABLE LIMITS : LEL: 1.0 UEL: 6.0

FLASH POINT : (propellant approx -130 F)

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cooled with water fog to prevent bursting.

EXTINGUISHING MEDIA : Foam, CO₂, Dry Chemical

UNUSUAL FIRE AND EXPLOSION HAZARDS : Exposure of containers to extreme heat may cause bursting.

SECTION V – HEALTH HAZARD DATA

PRIMARY ROUTE(S) OF ENTRY: INHALATION : YES DERMAL : YES INGESTION : YES

EFFECTS OF OVEREXPOSURE :

SKIN : Redness, irritation and defatting of skin,.

EYES : Redness, irritation and tearing.

INHALATION : Respiratory irritation, dizziness, weakness.

INGESTION : Gastrointestinal irritation, nausea, vomiting, diarrhea.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE : Pre-existing eye, skin and respiratory disorders.

EMERGENCY AND FIRST AID PROCEDURES :

SKIN : Thoroughly wash with soap and water. Consult Physician if irritation persists.

EYES : Flush immediately with water for 15 minutes. Consult Physician if irritation persists.

INHALATION : Move to fresh air. Get medical attention if irritation persists.

INGESTION : Get immediate medical attention.

SECTION VI - REACTIVITY DATA

STABILITY : Stable **CONDITIONS TO AVOID :** Temperatures above 120 ° F

HAZARDOUS DECOMPOSITION BY-PRODUCTS : Carbon Monoxide, Carbon Dioxide

INCOMPATIBILITY : Strong oxidizers

HAZARDOUS POLYMERIZATION : Will not occur

SECTION VII – PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED : Ventilate area. Soak up with absorbent material and dispose of accordingly.

WASTE DISPOSAL METHOD : When disposing of spent containers, do not puncture or incinerate. Dispose of in accordance with local, state, and federal regulations.

SECTION VIII – SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION : Use NIOSH approved self-contained breathing apparatus.

VENTILLATION : Sufficient local or mechanical ventilation.

PROTECTIVE GLOVES : Solvent resistant.

EYE PROTECTION : Safety glasses with chemical splash-proof side shields, chemical goggles and/or face shield.

OTHER PROTECTIVE CLOTHING AND EQUIPMENT : Sufficient to prevent skin contact.

SECTION IX – SPECIAL PRECAUTIONS

Keep out of reach of children. Avoid contact with skin, eyes or clothing. Avoid prolonged or repeated exposure to vapors. Do not store at temperature exceeding 120°F. Do not use or store around sources of heat, sparks or open flames. Keep container closed.

SECTION X – SUPPLEMENTARY INFORMATION

SARA TITLE III: RATING SCALE: 0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe

HMIS CLASSIFICATION: HEALTH : 3 FLAMMABILITY : 2 REACTIVITY : 0

NFPA CLASSIFICATION: HEALTH : 3 REACTIVITY : 0 FIRE : 2

Periodically, user should request new MSDS to assure it matches current formulation. The above information is accurate to the best of our knowledge. However, since data, safety standards and government regulations are subject to change and the conditions of handling and use or misuse are beyond our control, no warranty is made either express or implied, with respect to the completeness or continuing accuracy of the information contained herein and disclaims all liability for reliance thereon. User should satisfy himself that he has all current data relevant to his particular use.