

MATERIAL SAFETY DATA SHEET

I. GENERAL INFORMATION

| | | |
|--|---|---|
| ENFORCER PRODUCTS, INC. P. O. BOX 1060 CARTERSVILLE, GA. 30120 | MANUFACTURER'S PHONE NUMBER: (770) 386-0801 24 HOUR EMERGENCY NUMBER: 1-800-255-3924 | HAZARD RATINGS: HEALTH_2_ REACTIVITY_1_ FLAMMABILITY_0_ PERSONAL PROTECTION_0_ |
| PRODUCT NAME: ENFORCER WASP & YELLOW JACKET FOAM V | | EPA REG. NO.: 40849-4 |
| PREPARED BY: TRESSIE DEMPSEY | | DATE: AUGUST 10, 1996 |

II. INGREDIENTS

| PRINCIPAL COMPONENTS | CAS NUMBER | PERCENT | OSHA PEL | ACGIH TLV | NOTE: THIS PRODUCT DOES NOT CONTAIN ANY INGREDIENTS FROM SARA TITLE III "LIST OF LISTS" |
|---|------------|---------|----------|-----------|---|
| TETRAMETHRIN CYCLOPROPANE CARBOXYLIC ACID, 2,2-DIMETHYL -3-(2-METHYLPROPENYL)-,(1,3,4,5,6,7-HEXA HYDRO-1,3-DIOXO-2H-ISOINPOL-2-YL) METHYL ESTER | 7696-12-0 | 0.20 | N/E | N/E | |
| SUMITHRIN (3-PHENOXYBENZYL-(1RS,3RS,1RS,3SR)-2,2-DIMETHYL-3-(2-METHYLPROPYL-1-ENYL) CYCLOPROPANECARBOXYLATE | 26002-80-2 | 0.20 | N/E | N/E | |

III. PHYSICAL DATA

| | | |
|-------------------------------|--|--|
| BOILING POINT: 212°F (FILL) | BULK DENSITY: 0.975 | VAPOR PRESSURE (mm Hg.): >700 |
| EVAPORATION RATE: <1.0 | VAPOR DENSITY: 2.14 | EVAPORATION RATE (Butyl Acetate = 1): >1.0 |
| SOLUBILITY IN WATER: COMPLETE | APPEARANCE & ODOR: (AEROSOL) CLEAR LIQUID WITH PLEASANT INSECTICIDE ODOR | |

IV. FIRE & EXPLOSION DATA

| | | |
|--|--|--|
| FLASHPOINT (Method used): 185°F 0 / INCHES | AUTOIGNITION TEMPERATURE: N/A | FLAMMABLE LIMITS: N/A |
| LEL: N/A | UEL: N/A | EXTINGUISHING MEDIA: APPROPRIATE FOR SURROUNDING FIRE. |
| SPECIAL FIRE FIGHTING PROCEDURES: | FIREFIGHTERS SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL-PROTECTIVE CLOTHING WHEN FIGHTING FIRES THAT INVOLVE THIS PRODUCT. | |
| UNUSUAL FIRE & EXPLOSION HAZARDS: | CONTENTS UNDER PRESSURE. EXPOSURE TO TEMPERATURES ABOVE 130°F MAY CAUSE BURSTING. COOL CONTAINERS EXPOSED TO ELEVATED TEMPERATURES WITH WATER FOG. | |

V. REACTIVITY HAZARD DATA

| | |
|---|--|
| STABILITY: <input checked="" type="checkbox"/> STABLE <input type="checkbox"/> UNSTABLE | CONDITIONS TO AVOID: DO NOT EXPOSE TO ELEVATED (ABOVE 130°F) TEMPERATURES. |
| INCOMPATIBILITY (Materials to avoid): AVOID CONTACT WITH STRONG ACIDS, ALKALIES OR OXIDIZERS. | |
| HAZARDOUS POLYMERIZATION: | <input type="checkbox"/> WILL OCCUR <input checked="" type="checkbox"/> WILL NOT OCCUR |
| HAZARDOUS DECOMPOSITION PRODUCTS: | EXPOSURE TO FIRE WILL RESULT IN CARBON DIOXIDE, CARBON MONOXIDE AND OTHER TOXIC MATERIALS. |

