**Date Prepared:** 05/19/2015

**MSDS No:** 4005

#### 1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT DESCRIPTION: Grey Butyl mastic extrusion on release carrier

PRODUCT CODE: I €€Í ÉÁ €€Ì ÉÁ €€Ï ÉÉO€€I ÉÁ €€Î ÉÁ €€Î ÉÁ €€Î

8=GHF=61 HCF

24 HR. EMERGENCY TELEPHONE NUMBERS CHEMTREC (US Transportation): (800) 424-9300

Bramec Corporation 403 Highway 105

North Sioux City, SD 57049 **Customer Service:** 605 232-4311 **E-Mail:** bramecsales@bramec.com

#### 2. HAZARDS IDENTIFICATION

#### GHS LABEL

No labeling applicable

#### **EMERGENCY OVERVIEW**

PHYSICAL APPEARANCE: Grey mastic

**IMMEDIATE CONCERNS:** May cause skin or eye irritation after repeated or prolonged contact.

#### POTENTIAL HEALTH EFFECTS

**EYES:** Contact may cause eye irritation.

**SKIN:** Prolonged or repeated contact may cause skin irritation. Contact with heated product may result in burns.

SKIN ABSORPTION: None Expected.

INGESTION: Not a likely route of entry.

INHALATION: Not a likely route of entry.

**COMMENTS:** The Health hazards of this product should be low under normal industrial and commercial use.

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
Carbon Black	~ 0.03	1333-86-4
Cellulose	~ 1.19	9004-34-6
Titanium Dioxide	~ 0.05	13463-67-7
Silica, Crystalline	< 1.5	14808-60-7

#### 4. FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

**SKIN:** Wash with soap and water. Get medical attention if irritation develops or persists.

INGESTION: Normally not needed. If large quantities are ingested, seek medical advice.

**Date Prepared:** 05/19/2015

**MSDS No:** 4005

INHALATION: No specific treatment is necessary since this material is not in an inhalable form.

#### SIGNS AND SYMPTOMS OF OVEREXPOSURE

**EYES:** May cause skin or eye irritation after repeated or prolonged contact.

**SKIN:** Substance may cause slight skin irritation.

SKIN ABSORPTION: None Expected.

#### 5. FIRE FIGHTING MEASURES

**EXTINGUISHING MEDIA:** Dry chemical, carbon dioxide or foam. Treat as a petroleum fire.

HAZARDOUS COMBUSTION PRODUCTS: CO, CO2, and hydrocarbons

**EXPLOSION HAZARDS:** None Expected.

**FIRE FIGHTING PROCEDURES:** As in any fire, wear self-contained breathing apparatus operated in pressure-demand mode, (NIOSH approved or equivalent) and full protective gear.

HAZARDOUS DECOMPOSITION PRODUCTS: If heated to decomposition, may emit toxic and/or irritating fumes.

#### 6. ACCIDENTAL RELEASE MEASURES

**SMALL SPILL:** Pick up clean material and place into storage container for future use. Dispose of waste material in accordance with all local, state/provincial, and national requirements.

LARGE SPILL: Use same methods described for small spills.

#### 7. HANDLING AND STORAGE

**HANDLING:** Use of proper hygiene practices in the workplace is recommended.

**STORAGE:** Keep container tightly closed and in a well-ventilated place. Keep container dry.

STORAGE TEMPERATURE: Store in a cool place below (120) F (49) C.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **EXPOSURE GUIDELINES**

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)							
		EXPOSURE LIMITS					
		OSHA	PEL	ACGI	H TLV	Suppli	er OEL
Chemical Name		ppm	mg/m³	ppm	mg/m³	ppm	mg/m³
Cellulose	TWA		15T 5R		10		
Titopium Diavida	TWA		15 T		10	NL	NL
Titanium Dioxide	STEL					NL	NL
Olfer - Oracle Here	TWA	250mpp	10		0.025	NL	NL
Silica, Crystalline	STEL					NL	NL

**Date Prepared:** 05/19/2015

**MSDS No:** 4005

**ENGINEERING CONTROLS:** A system of local and/or general exhaust should be adequate under normal conditions.

#### PERSONAL PROTECTIVE EQUIPMENT

**EYES AND FACE:** Where contact with this material is possible, eye protection is recommended. May cause skin or eye irritation after repeated or prolonged contact.

**SKIN:** Use of proper hygiene practices in the workplace is recommended.

**RESPIRATORY:** Material is not respirable under normal conditions.

**WORK HYGIENIC PRACTICES:** When handling this material use good hygienic practices, wash hands thoroughly after handling product.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Soft solid

**ODOR:** Faint, characteristic odor.

**COLOR:** Grey

FLASH POINT AND METHOD: > (475°F)

FLAMMABLE LIMITS: Not Established

**AUTOIGNITION TEMPERATURE:** Not Established

SPECIFIC GRAVITY: ~ 1.64

#### 10. STABILITY AND REACTIVITY

HAZARDOUS POLYMERIZATION: Will not occur.

**STABILITY:** Stable

HAZARDOUS DECOMPOSITION PRODUCTS: In case of fire, oxides of carbon, hydrocarbons, fumes, and smoke may be

produced.

**INCOMPATIBLE MATERIALS:** Incompatible with strong solvents.

#### 11. TOXICOLOGICAL INFORMATION

#### **ACUTE**

**NOTES:** None Expected.

CHRONIC: No known chronic effects.

#### CARCINOGENICITY

Chemical Name	NTP Status	IARC Status
Titanium Dioxide		2B
Silica, Crystalline	1	1

**Date Prepared:** 05/19/2015

**MSDS No:** 4005

#### 12. ECOLOGICAL INFORMATION

**ENVIRONMENTAL DATA:** No information available for this product.

**GENERAL COMMENTS:** Not Established

#### 13. DISPOSAL CONSIDERATIONS

**DISPOSAL METHOD:** Dispose of this product in accordance with all applicable local, state and federal regulations.

#### 14. TRANSPORT INFORMATION

### **DOT (DEPARTMENT OF TRANSPORTATION)**

PROPER SHIPPING NAME: Not regulated for transport.

PRIMARY HAZARD CLASS/DIVISION: Not regulated

**PLACARDS:** None

#### 15. REGULATORY INFORMATION

#### UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

FIRE: No PRESSURE GENERATING: No REACTIVITY: No ACUTE: No CHRONIC: No

TSCA (TOXIC SUBSTANCE CONTROL ACT)

Chemical Name	CAS
Carbon Black	1333-86-4
Cellulose	9004-34-6
Titanium Dioxide	13463-67-7
Silica, Crystalline	14808-60-7

## **CALIFORNIA PROPOSITION 65**

Chemi	cal Name	Wt.%	Listed
Carbon	Black	~ 0.03	Cancer


#### **16. OTHER INFORMATION**

**Date Prepared:** 05/19/2015

**Date Prepared:** 05/19/2015

MSDS No: MP4005





**MANUFACTURER DISCLAIMER:** It does not relate to the use in combination with any other material or in any process. The data in this MSDS relates only to the specific material deignated herein.

This information is furnished without warranty, expressed of implied, except that it is accurate to the best knowledge of MultiSeal, Inc. The data on this sheet are related only to the specific material designated herein. MultiSeal, Inc. assumes no legal responsibility for use or reliance upon these data.

# Bramec® Screw-Up®

Reduce or eliminate call back time

Easy leveling or adjustment of units during & after installation

Simple to install

Elevate heat pumps & air handling units

Made of corrosion-resistant plastic


Allows better condensate drainage

Helps prevent corrosion of metal base

Polymeric mastic included with each unit

Absorbs vibration & noise

Adjustable height: 6" - 7-1/4"



BRAMEC ITEM NO. 4007

**DESCRIPTION** 6" - 7-1/4" Gray


STD. QTY. UM

Fax: 800-FAX-3003

6,631,878

EA

# **BRAMEC®** Screw-Up™



Insert one #7  $\times$  1/2" sheet metal screw (set screw) in the hole in the ring after leveling unit.

If you have any questions, please call our customer service department at 1-800-843-9974 for assistance.

WARRANTY DISCLAIMER: THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF.

LIMITATION OF LIABILITY: Any liability for consequential and incidental damages is expressly disclaimed. Bramec's liability in all events is limited to, and shall not exceed, the value of the product. Bramec assumes no liability for failure of, or damage to the product due to improper installation, misuse or abuse of the product.

PRODUCT SUITABILITY: Many states and localities have codes and regulations governing sales, construction, installation and/or use of products for certain purposes, which may vary from those in neighboring areas. While Bramec attempts to assure that its products comply with such codes, it cannot guarantee compliance, and cannot be responsible for how the product is installed or used. Before purchase and use of a product, please review the product application, federal and local codes and regulations, and be certain the product, installation and use will be in compliance with any applicable codes and regulations.

NO WARRANTIES TO CONSUMERS: Bramec makes no warranties to those defined as consumers in the Magnuson-Moss Warranty-Federal Trade Commission Improvement Act.

